






| 版 本<br>REV | 工程变更号<br>ECN No. | 变更描述<br>CHANGED DESCRIPTION | 日 期<br>DATE | 修改人<br>MODIFIED BY |
|------------|------------------|-----------------------------|-------------|--------------------|
| A          |                  | 首次发行(FIRST RELEASE)         | 2016/10/22  |                    |



技术描述:

- 1.插拔寿命:大于100次;  
DURABILITY IS MORE THAN 100 TIMES;
- 2.额定电压:1000V;  
RATED VOLTAGE:1000V;
- 3.额定电流:250A(50平线);  
RATED CURRENT:250A(50mm<sup>2</sup> CABLE);
- 4.绝缘阻抗:500MΩ;  
INSULATION RESISTANCE:500MΩ;
- 5.耐压:3000V AC/min;  
WITHSTANDING VOLTAGE:3000V AC/min;
- 6.防护等级: IP67,IP6K9K(已插合);  
IP2XB(未插合);  
IP RATING:IP67,IP6K9K(MATED);  
IP2XB(UNMATED);
- 7.工作温度:-40℃至125℃;  
OPERATION TEMPERATURE:-40℃至125℃;
- 8.阻燃等级:UL94V-0;  
FIRE RATING:UL94V-0;
- 9.材料符合ROHS和REACH要求  
THE MATERIAL MEETS ROHS AND REACH REQUIREMENTS

料号说明(PRODUCT MODEL INSTRUCTION):




THE DOCUMENT CONTAINS INFORMATION WHICH IS PROPRIETARY TO CHILYE AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

Chilye 智绿


产品名称/PART NAME  
HVC800 单芯线性插头总成  
HVC800 1P PLUG 180° ASSY


|                |            |                    |                        |     |            |
|----------------|------------|--------------------|------------------------|-----|------------|
| X.X ±0.1       | X° ±1°     | 第一视角<br>PROJECTION | 设计<br>DESIGNER         | 徐生超 | 2016/10/22 |
| X.XX ±0.01     | X.X° ±0.5° |                    | 标准化<br>STANDARDIZATION |     |            |
| 重量<br>WEIGHT   | 152 g      |                    | 审核<br>CHECKED          |     |            |
| 材料<br>MATERIAL |            |                    | 核准<br>APPROVED         |     |            |

| 文件类型<br>DOCUMENT | 图纸编号/DRAWING NUMBER |            |             |           |
|------------------|---------------------|------------|-------------|-----------|
|                  | C-CL-HVC800-13X     |            |             |           |
| 图纸页数<br>SHEET    | 单位<br>UNIT          | 图纸<br>SIZE | 比例<br>SCALE | 版次<br>REV |
| 1/3              | mm                  | A3         | 1/1         | A         |



| ITEM | PART DWG. | CABLE DIA<br>( $\phi$ mm) | PART NUMBER   | D(mm) | QUANTITY |
|------|-----------|---------------------------|---------------|-------|----------|
| 1    |           | —                         | CH100054011XX | —     | 1        |
| 2    |           | —                         | CH100054007   | —     | 1        |
| 3    |           | 12.6~13.2                 | CH10005400501 | 7.0   | 1        |
|      |           | 14.1~14.9                 | CH10005400502 | 8.5   | 1        |
|      |           | 16.6~17.4                 | CH10005400503 | 10.0  | 1        |
| 4    |           | 12.6~13.2                 | C131005400301 | 14.0  | 1        |
|      |           | 14.1~14.9                 | C131005400302 | 15.5  | 1        |
|      |           | 16.6~17.4                 | C131005400303 | 18.0  | 1        |
| 5    |           | 12.6~13.2                 | C131005400401 | 15.6  | 1        |
|      |           | 14.1~14.9                 | C131005400402 | 17.1  | 1        |
|      |           | 16.6~17.4                 | C131005400403 | 19.6  | 1        |
| 6    |           | 12.6~13.2                 | C127005400301 | 11.0  | 1        |
|      |           | 14.1~14.9                 | C127005400302 | 12.5  | 1        |
|      |           | 16.6~17.4                 | C127005400303 | 15.0  | 1        |
| 7    |           | 12.6~13.2                 | C122005400204 | 13.9  | 1        |
|      |           | 14.1~14.9                 | C122005400202 | 15.1  | 1        |
|      |           | 16.6~17.4                 | C122005400203 | 17.6  | 1        |





| 文件类型<br>DOCUMENT | 图纸编号/DRAWING NUMBER |            |             |           |
|------------------|---------------------|------------|-------------|-----------|
|                  | C-CL-HVC800-13X     |            |             |           |
| 图纸页数<br>SHEET    | 单位<br>UNIT          | 图纸<br>SIZE | 比例<br>SCALE | 版次<br>REV |
| 3/3              | mm                  | A3         | 1/2         | A         |